

Phone: 732-390-7750 Fax: 844-683-2244 *AsteraCancerCare.org*

GENERAL

PATIENT REFERRAL FORM

Patient Name:				Pt. DOB:	J	_/
	Last	First	Middle			
Patient Address:						
Patient City:			Pt. State:	Pt. Zip:		
Patient Phone: ()			Pt. Height: _		in.
DX:				Pt. Weight: _		lbs.
Patient Allergies:						
Insurance:				ID#:		
Referred by:				NPI#:		
Office Contact (Re	equired):			fice Ph: ()		
Office Administration	han /Danwinaa	IV.		fice Fax: ()		
			Administra	ator Ph: ()		
Astera Infusion Thera			-			
_			ey City L Monroe L	■Robbinsville ■Ruthe	ertord	■Somerset
Required Items/Inf			edication, exact dos	rage and directions		
	-	months, includin	•	sage, and unections		
☐ Copy of current i	-	-	g . cjc,			
. ,			e being treated mus	t be mentioned in rep	ort	
☐ Allergies and cur			J	•		
☐ Current labs requ	uired for speci	fic medication, a	s noted on the follow	wing page(s) of this fo	rm	
Has the patient init	iated treatme	nt at your office?		Yes	No	
☐ If any future lab	tests are need	led, please provi	de patient with a pre	escription, and have p	atient k	oring on
day of treatment. F	Results will be	sent to referring	g physician.			
Please note:						

- 1. A Letter of Medical Necessity is required for all patients receiving their initial infusion at Astera (letter must include diagnosis, previous treatments/response to treatments and be on letterhead with physician signature).
- 2. Benefit investigations, copay assistance and prior authorizations will be handled by the Astera precert staff if required by the payer. Right to auto-substitute biosimilars based on payer's preference. Detailed clinical notes providing supportive documentation are required for authorization requests which may take 3-5 business days depending on the payer. The precert staff will update the referring doctor's office during this process and contact the patient to discuss cost and financial assistance options.
- 3. A pretreatment education session will be provided by an Advanced Practice Provider.
- 4. Once the infusion is complete, a follow-up notice will be faxed to the to the referring provider.

Patient Name: _				DOB:/			
	Last	First	Middle				
	-	ceived, we will		as noted below, and fax all documents to to schedule appointment. Thanks!			
Note: Progres	s notes and labs must be c	ompleted with	in the previous 6 m	onths for all new and renewed prescriptions			
☐ Actemra	CBC, Lipid Panel, Liver Fu	unction, PPD(prior to initiation)				
☐ Benlysta (IV	') None						
□ Briumvi	CBC, Quantitative Serum Immunoglobulin, Prior to initiation – Hep B Serology (Hep B surface ant Hep B surface antibody and Hep B core antibody) Confirm No Vaccinations within 4 Weeks of Therapy						
□ Cimzia	CBC, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface anti Hep B core antibody)						
☐ Cinqair	Peak Flow and Other Pu	llmonary Func	tion Tests				
☐ Cytoxan	CBC, CMP, UA						
☐ Entyvio	Liver Function, PPD (pri	or to initiation)				
☐ Evenity	CMP, Dexa Scan within	2 years	Confirm pt. has not	t had an MI or stroke within previous year			
☐ Fasenra	Peak Flow and Other Pu	llmonary Func	tion Tests				
□ IVIG				Renal Function Tests, Urine Output e nearest vial size available.			
☐ Krystexxa	G6PD Deficiency, Serum	Uric Acid Leve	els, Confirm Oral Ur	ate Lowering Agent Discontinued			
☐ Leqvio	Lipid Panel						
□ Nucala	FEV1, Peak Flow and Ot	her Pulmonary	Function Tests				
□ Nulojix	CBC, EBV Serology, Mag	nesium, Opera	ative Report, Potass	sium, PPD (prior to initiation)			
☐ Ocrevus	CBC, prior to initiation - Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody) ☐ Confirm No Vaccinations within 4 Weeks of Therapy						
□ Orencia (IV)	Prior to initiation – PPD Hep B core antibody)	and Hep B Se	rology (Hep B surfa	ce antigen, Hep B surface antibody and			
☐ Prolastin	Alpha 1 Proteinase Inhibitor Serum Levels and Lung Function ☐ IgA antibodies negative for patient with IgA deficiency						
☐ Radicava	None						

Remicade/Inf	flectra (Biosimilar might be replaced if appropriate)
	CBC, Liver Function, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
Rituxan/Riab	ni/Truxima/Ruxience (CMS approved indications only - Biosimilar might be replaced if appropriate) CBC, prior to initiation - Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody) Confirm No Vaccinations within 4 Weeks of Therapy
Saphnelo	Up to date with all immunizations before treatment initiation and confirm no live or live attenuated vaccines are given concurrently.
Simponi Aria	(IV) CBC, Liver Function, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
Skyrizi (IV)	Crohn's Disease Indication only - CBC, CMP (with LFTs), Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody) □ Confirm No Vaccinations within 4 Weeks of Therapy or have an active infection
Soliris	Meningococcal Vaccination
Stelara (IV)	CBC, PPD
Tezspire	FEV1, Peak Flow and Other Pulmonary Function Tests
Tysabri	MRI (MS patients), TOUCH Program Registration
Vpriv	Gene Testing (GBA – Velaglucerase Alfa)
Vyepti	None
Vyvgart	CBC, Anti-AChR Antibody Positive, No Live Vaccines During Therapy
Xolair	Baseline Serum Ige, FEV1, Peak Flow, Other Pulm Function Test (all required for asthma indication only