

Patient Name: _____
Last First Middle

DOB: ____/____/____

Please check the box for medication requested, attach required documentation as noted below, and fax all documents to 844.683.2244. Once all documentation is received, we will contact your patient to schedule appointment. Thanks!

Medication

Required Current Lab Results

Note: Progress notes and labs must be completed within the previous 6 months for all new and renewed prescriptions.

- Actemra CBC, Lipid Panel, Liver Function, PPD (prior to initiation)
- Benlysta (IV) None
- Briumvi CBC, Quantitative Serum Immunoglobulin, Prior to initiation – Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm No Vaccinations within 4 Weeks of Therapy
- Cimzia CBC, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
- Cytosan CBC, CMP, UA
- Entyvio Liver Function, PPD (prior to initiation)
- Evenity CMP, Dexa Scan within 2 years Confirm pt. has not had an MI or stroke within previous year
- Fasenra Peak Flow and Other Pulmonary Function Tests
- Ilumya CBC, CMP, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm up to date with vaccines and no live vaccinations within 4 weeks prior to starting therapy or have an active infection. Evaluated for malignancy.
- IVIG Hematocrit, Hemoglobin, IgG Concentrations, Platelets, Renal Function Tests, Urine Output
Provide dose basis in mg/kg. Doses will be rounded to the nearest vial size available.
- Kisunla CMS Registry Number. Prior to initiation – confirm presence of amyloid beta pathology and brain MRI. Obtain an MRI prior to the 2nd, 3rd, 4th, and 7th infusions.
- Krystexxa G6PD Deficiency, Serum Uric Acid Levels, Confirm Oral Urate Lowering Agent Discontinued
- Leqembi CMS Registry Number. Prior to initiation – confirm presence of amyloid beta pathology and brain MRI. Obtain an MRI prior to the 3rd, 5th, 7th and 14th infusions.
- Nucala FEV1, Peak Flow and Other Pulmonary Function Tests
- Ocrevus (IV) CBC, CMP, Serum Immunoglobulins, prior to initiation – Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm No Vaccinations within 4 Weeks of Therapy

- Ocrevus (SQ) CBC, CMP, Serum Immunoglobulins, prior to initiation – Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm No Vaccinations within 4 Weeks of Therapy
 Referring provider to send prescriptions for oral premedications (steroid, antihistamine, antipyretic) to the patient’s retail pharmacy and instruct patient to take 30 minutes prior to injection.
- Orencia (IV) Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
- Radicava None
- Remicade/Inflectra (Biosimilar might be replaced if appropriate)
 - CBC, Liver Function, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
- Rituxan/Riabni/Truxima/Ruxience (CMS approved indications only - Biosimilar might be replaced if appropriate)
 - CBC, prior to initiation - Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm No Vaccinations within 4 Weeks of Therapy
- Saphnelo Up to date with all immunizations before treatment initiation and confirm no live or live attenuated vaccines are given concurrently
- Simponi Aria (IV) CBC, Liver Function, Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
- Skyrizi (IV) Crohn’s Disease Indication only - CBC, CMP (with LFTs), Prior to initiation – PPD and Hep B Serology (Hep B surface antigen, Hep B surface antibody and Hep B core antibody)
 - Confirm No Vaccinations within 4 Weeks of Therapy or have an active infection
- Soliris Meningococcal Vaccination
- Tezspire FEV1, Peak Flow and Other Pulmonary Function Tests
- Tysabri MRI (MS patients), TOUCH Program Registration
- Vpriv Gene Testing (GBA – Velaglucerase Alfa)
- Vyepti None
- Vyvgart Anti-AChR Antibody Positive, No Live Vaccines During Therapy
- Vyvgart Hytrulo (SQ – CIDP and Myasthenia Gravis)
 - Anti-AChR Antibody Positive (Myasthenia Gravis only). No live vaccines during therapy. Confirm no active infection.
- Xolair Asthma - Baseline Serum IgE, FEV1, Peak Flow, Other Pulmonary Function Test
Chronic Idiopathic Urticaria – None